

## DR. BATES SUNLIGHT TREATMENTS (As described in Better Eyesight Magazine)

Shining direct sunlight on the sclera, the outer white part of the eye is a old treatment Dr. Bates applied to bring life, health, activity to the retina and its cells, cones, rods, nerves, blood vessels. Dr. Bates cured unclear vision and other eye problems, diseases with this treatment. People that were blind or almost blind would begin to see light and obtain clear vision as result of this treatment and other Bates activities.

### Directions

1 - Face the sun with the eyes pupil directed away from the sun. Allow full spectrum sunlight to shine directly on the sclera, (white part of the eye) by pulling the upper eyelids up while looking down. The sun shines on the upper white area of the eye. The eyes pupil is down, under the lower eyelid to prevent direct sunlight from shining into the pupil.

Move the eyes and head/face side to side to move the sunlight over the entire sclera and retina, lens through the sclera. Keep the sunlight moving on the sclera for a few seconds. Then stop, rest. Repeat if comfortable. Do not overdo it. Movement of the eyes, light places sunlight on all areas of the eye, retina, improves absorption, use of the light, activation of the retinas cells, light receptors... and prevents overexposure, concentration of the light, sunburn on the eye.

When pulling the eyelid; do not touch the eye or eyelid. Pull on the skin above the eyelid. Keep fingernails very short. Wash your hands first. Avoid chemical based soap. Do both eyes at the same time; left thumb pulls left lid, right thumb pulls right lid. Pull gently. This treatment also helps the eye build normal tolerance to sunlight, improves health and color of the sclera, perception of light, color, clarity of vision.

2 - Now, direct the sunlight onto the bottom of the sclera; Pull the lower eyelids down, move the eye/pupil up in the opposite direction so the sun shines on the lower area of the sclera and not directly into the pupil.

Move the eyes, head/face side to side. Keep the sunlight moving on the sclera for a few seconds. Then stop, rest. The head/body may need to be tilted back a bit to keep sunlight on the lower sclera and away from the pupil. Practicing this treatment repeatedly can tense the eye muscles and the pull of the fingers can irritate the eyelids, skin. Use it occasionally.

### Sun-Glass Treatment

Dr. Bates cured advanced eye problems, blindness by the sunlight methods and, also applying the use of the Sunglass to increase the strength of the sunlight on the eyes sclera and retina through the sclera. He moves the sunlight through the Sunglass quickly over the sclera for only a second, few seconds. He also moves the sunlight through the Sunglass on/over closed eyelids. Light is not directed into the pupil. The light is kept in movement and moved quickly on the sclera and not for too long; only a few seconds in order to prevent over concentrating sunlight on any one or more areas of the eye, to prevent overexposure, sunburn on/in the eye. Distance of the glass must be correct or the eye can be burned.

The patient is exposed to plain sunlight first, without the glass to get the eyes adjusted to the light before using the sun-glass. Do not do this at home without an eye doctor's direction. Done incorrect, it can burn the eye.

#### Sunlight on the Sclera

Face the sun, the eyes pupil directed away from the sun.




1 - Pull the upper eyelid up and look down. Sunlight shines on the upper area of the Sclera. Sunlight does not shine into the pupil.



2 - Pull the lower eyelid down and look up. Sunlight shines on the lower area of the Sclera. Sunlight does not shine in the pupil.

Expose left and right eyes to the sun at the same time. Move the eyes left and right enabling the sun to shine/move on all areas of the Sclera.



## THE USE OF THE SUN GLASS

In using the sun glass, it is well to accustom the eyes of the patient to the strong light by having him sit in the sun with his eyes closed, and at the same time he should slowly move his head from side to side, in order to avoid discomfort from the heat. Enough light shines through the eyelid to cause some people a great deal of discomfort at first, but after a few hours' exposure in this way, they become able to gradually open their eyes to some extent without squeezing the lids. When this stage is reached, one can focus, with the aid of the sun glass, the light on the closed eyelids, which at first is very disagreeable. When the patient becomes able to open the eyes, he is directed to look as far down as possible, and in this way the pupil is protected by the lower lid. Then by gently lifting the upper lid, only the white part of the eye is exposed, while the sun's rays strike directly upon this part of the eyeball. The sun glass may then be used on the white part of the eye. Care should be taken to move the glass from side to side quickly. The length of time devoted to focusing the light on the white part of the eye is never longer than a few seconds. After such a treatment the patient almost immediately becomes able to open his eyes widely in the light.

Most Modern Natural Eyesight Improvement Teachers do not apply the Sunglass Treatment -(Mainly due to fear of the AMA.) Ophthalmologist Bates cured many vision problems, eye diseases, various types of blindness with the Sunglass and Sunlight, Sunning Treatments. Try plain Sunning, Sunlight first.

the Sunglass light is on the eyes.

Start with eyes closed, look far down. Bring the glass, light beam close, but a safe distance from the eye. Move the light beam on the white area of the eye through the eyelids. The movement helps to prevent too much heat. Test the intensity of the light, heat, distance of the glass... on the closed eyelids first. See the size of the light spot on the eye and the blood vessels... in the eyes sclera, retina. Keep the light moving, move it quickly on the sclera for a few seconds.

Then, repeat with the eyes open; still looking far down, eyes pupil under the lower eyelid, protected from the light; lift the upper eyelid, open the eyes and move the light quickly side to side, a few seconds on the white area, sclera of the eye. Then repeat the steps with the other eye.

The Sunglass is a glass. As described in other chapters; All glass, plastic.; eyeglasses, windows, sunglasses block out part of the sun's light spectrum causing unhealthy partial spectrum, unbalanced light to exit the glass and shine into the eyes, travel to the brain, body. This impairs health, function of the brain, body, eyes and clarity of vision. For this reason the sunglass is only used to get the cells, light receptors, capillaries... in the eye, retina, lens back to full life, activity, bring the vision back. Then the glass is not used. Plain sunlight not passing through glass is used by practicing Sunning, Sun-gazing... as described in this chapter.

Read more directions for Sunning, Sun-Gazing, Sunglass Treatments in the PDF Natural Eyesight Improvement E-book; Ophthalmologist Bates 'Better Eyesight Magazine' describes this treatment. See; Better Eyesight Magazine; April, May, June, August, October, December, 1926 and November, 1924 and

The Sunglass Treatment is be done by a Bates Method Experienced Ophthalmologist and only if necessary in cases of blindness, extreme vision impairment and only after closed eyes sunning, daily sunlight exposure; eyes open (not staring into the sun), yes; looking at, shifting on the bright sunny sky, clouds, trees and other Bates Method Treatments have been tried first.

If these have not brought vision improvement, the Sunglass Treatment may.

Be aware that certain types of glass act as a magnifying glass. The Sunglass is a magnifier and sunlight passing through the Sunglass can burn the eye.

Only a professional should apply this method;

The glass is never still; the glass is moved continually side to side causing the light to move quickly on the white area of the eye. A short time; only a few seconds of light is placed on the eye. Do one eye at a time.

(Patch the eye not being worked upon with a thick white eyepatch to prevent the eye, pupil from moving into the light of the Sunglass. Keep the patch open on the outer side away from the glass to allow plain daylight into that eye to keep both brain hemispheres, eyes active. Do not wear any type of eyeglasses, contact lenses, sunglasses, tinted, UV blocking lenses when using the Sunglass, Sun-gazing, Sunning.)

Distance of the glass from the eye must be exact, a specific distance and the time the light is on the eye (white area, sclera only, through or under eyelids) must be brief, few seconds or the eye can be burned. It is a certain type of magnifying glass;

Type, size, thickness, curvature... of the glass, distance, angle from the eye, strength of the sun affects the strength, intensity, concentration of the light ray beam, heat of the sunlight through the glass. The heat increases with the amount of time the light is on the eye. The correct amount is relaxing, healthy for the eye. The light must never shine on/into the eyes pupil. Keep the light away from the pupil, iris. Keep the eye, pupil far down, under the lower lid to prevent the light beam from shining into the pupil. Do not move the eyes when

other 'Use of the Sunglass, Burning Glass' articles. Better Eyesight Magazine article June, 1926 in original form is shown on this page.

I place the instructions here due to the many cures Dr. Bates, Emily Lierman, Bates, other doctors obtained with the Sunglass and to enable persons to know if their Eye doctor is doing the treatment correct, safe.

Sun-Gazing; Looking into the sun with the eyes open, while moving the eyes, head/face side to side, keeping the eyes, head/face in movement 'shifting' is still done by some people in various countries, cultures.

For sun-gazers that do look at the sun with the eyes open; Practice only for 5-10 seconds occasionally, always moving the head/face, eyes; shifting side to side, top and bottom... across the sun. Blink often.

Never stare into the sun. Application time may vary with certain cultures, countries, treatments by experts.

Avoid areas where the sunlight is concentrated or the ozone layer is depleted.

Looking at the sun at sunrise, sunset in safe areas of the planet is allowed as long as staring, over-exposure is avoided. People have been looking at the sky, sunrise, sunset for millions of years.

Due to the depletion of the ozone layer, Modern Bates Teachers do not advise looking into the sun with the eyes open. Closed Eyes Sunning only is practiced.

Looking at the bright areas of the sky, clouds, tree tops with the eyes open on a sunny day is allowed.

Never look at or near the sun during a solar eclipse of the sun.

Good nutrition is necessary to maintain the eyes natural protection and tolerance to sunlight.

Sunlight through the eyes and on the skin is also necessary for the body to absorb, create, function with nutrients, vitamins, vitamin D, calcium., minerals, to help protect the eyes, skin from sunburn, overexposure to sunlight, to produce, balance, control hormones, chemicals in the brain, body, body organs, systems, including melatonin for a normal sleep cycle and serotonin, tryptophan... for a positive state of mind, good mood, positive thoughts, emotions. The eyes need sunlight to remain healthy, keep the vision clear.

Most drugs and some herbs impair the vision, eye health, natural tolerance, protection from over-exposure to sunlight.

Sunlight contains all colors, frequencies, energy of the light spectrum.



5. SUN TREATMENT. The eyes need sunlight. People who work in mines, where there is no sun, sooner or later develop inflammations of the interior of the eyes. The cloudiness of the lens from cataract is lessened by exposing the eye to the direct rays of the sun. When using the sun treatment, it is best to let the eyes become accustomed to the sun by mild treatment at first. Have the patient sit in a chair with his eyes closed and his face turned toward the sun. He should slowly move his head a short distance from side to side. The movement of the head prevents concentration of the sun's rays on one part of the eye. After some days of treatment, or when the patient becomes more accustomed to the light, one may use the sun-glass with added benefit. Direct the patient to look far down and while he does this, lift the upper lid gently, exposing to view the sclera or white part of the eye. Now, with the aid of the sun-glass focus the sunlight on the forehead or on the cheek, and then rapidly pass the concentrated light over various parts of the sclera. This requires less than a minute of time. It is


not well to be in a hurry. One should wait until the patient becomes sufficiently accustomed to the sun to permit the upper eyelid to be raised while he looks far down, exposing the sclera only. It is important that the patient be cautioned not to look directly at the sun.

#### *Prognosis*

The cure of cataract is usually accomplished more quickly than the cure of some other diseases of the eye. My assistant, Emily C. Lierman, has had unusual success in treating cataract cases, as she adapts my methods to each individual case. In her book, "Stories from the Clinic," the treatment is described in detail.



## Sunning



Face the sun with the eyes closed and move the eyes, head/face & body slowly side to side, left and right.